

AMENDMENTS

In the Title:

Please amend the title of invention to read – Liquid Crystal Display Device –.

In the Specification:

On page 1, line 3, please insert the following paragraph:

– This is a divisional application of the co-pending U.S. Patent Application Serial No. 09/621,825 filed July 21, 2000. –

In the Claims:

Please **CANCEL** claims 1-17 without prejudice or disclaimer.

Please **ADD** new claims 18-32, as follows.

1-17. (Cancelled)

18. (Currently Added) A display device, comprising:
a display panel displaying an image;
a first connecting member attached to a first portion of the display panel;
a first printed circuit board (PCB) electrically coupled to the display panel through the first connecting member, the first connecting member being attached to a first portion of the first PCB;
a second connecting member attached to a second portion of the first PCB; and

a second PCB electrically connected to the first PCB through the second connecting member, the second connecting member attached to a first portion of the second PCB.

19. (Currently Added) The display device of claim 18, wherein the first connecting member is attached to a first edge of the display panel.

20. (Currently Added) The display device of claim 19, wherein the first connecting member is a tape carrier package (TCP).

21. (Currently Added) The display device of claim 20, wherein the TCP comprises an driver integrated circuit (IC).

22. (Currently Added) The display device of claim 18, wherein the first PCB is a source PCB.

23. (Currently Added) The display device of claim 22, wherein the first connection member is attached to a first edge of the source PCB and the second connection member is attached to a second edge of the source PCB.

24. (Currently Added) The display device of claim 18, wherein the second connecting member is a flexible printed circuit (FPC).

25. (Currently Added) The display device of claim 18, wherein the second PCB is a control PCB.
26. (Currently Added) The display device of claim 25, wherein the control PCB generates a timing signal for the display panel.
27. (Currently Added) The display device of claim 18, further comprising a third connecting member attached to a second portion of the display panel.
28. (Currently Added) The display device of claim 27, wherein the third connecting member is a tape carrier package (TCP).
29. (Currently Added) The display device of claim 28, wherein the TCP comprising an driving integrated circuit (IC).
30. (Currently Added) The display device of claim 27, further comprising a third PCB electrically connected to the display panel through the third connecting member.
31. (Currently Added) The display device of claim 30, wherein the third PCB is a gate PCB.
32. (Currently Added) The display device of claim 31, wherein the display device comprises more than one first PCB.